

SEQUENCE LISTING

<110> Jifan Hu, GMR Epigenetics Corporation;
Andrew R. Hoffman, Stanford University

<120> Gene Inactivation by Targeted DNA Methylation

<130> 10853-005-999

<140> US09/643,128

<141> 2000-08-21

<150> US60/96,749

<151> 2000-04-12

<160> 56

<170> PatentIn For Windows v. 3

<210> 1

<211> 5

<212> DNA

<213> Artificial sequence

<220> Hairpin

<221> m5C

<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 1

m5cgnm5cg

<210> 2

<211> 5

<212> DNA

<213> Artificial sequence

<220> Hairpin

<221> m5C

<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 2
m5cgtm5cg

<210> 3
<211> 10
<212> DNA
<213> Artificial sequence

<220> Hairpin
<221> m5C
<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 3
cgacg-t-m5cgtm5cg

<210> 4
<211> 22
<212> DNA
<213> Artificial sequence

<220> Hairpin
<221> m5C
<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<300>

<301> Xiaoming Yao, Ji-Fan Hu, Mark Daniels, Hadas Shiran, Xiangjun Zhou, Huifan Yan, Hongqi Lu, Zhilan Zeng, Qingxue Wang, Tao Li, and Andrew R. Hoffman

<302> A methylated oligonucleotide inhibits IGF2 expression and enhances survival in a model of hepatocellular carcinoma

<303> Journal of Clinical Investigation

<307> in press

<400> 4
agccm5cgggm5ctgggaggagtm5cgg

<210> 5
 <211> 33
 <212> DNA
 <213> Artificial sequence

 <220> Hairpin
 <221> m5C
 <223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

 <300>
 <301> Xiaoming Yao, Ji-Fan Hu, Mark Daniels, Hadas Shiran, Xiangjun Zhou, Huifan Yan, Hongqi Lu, Zhilan Zeng, Qingxue Wang, Tao Li, and Andrew R. Hoffman
 <302> A methylated oligonucleotide inhibits IGF2 expression and enhances survival in a model of hepatocellular carcinoma
 <303> Journal of Clinical Investigation
 <307> in press

 <400> 5
 cgacgtm5cgtm5cg-agccm5cgggm5ctgggaggagtm5cgg

<210> 6
 <211> 22
 <212> DNA
 <213> Artificial sequence

 <220>
 <221>
 <223> Phosphothioate oligonucleotide

 <300>
 <301> Xiaoming Yao, Ji-Fan Hu, Mark Daniels, Hadas Shiran, Xiangjun Zhou, Huifan Yan, Hongqi Lu, Zhilan Zeng, Qingxue Wang, Tao Li, and Andrew R. Hoffman
 <302> A methylated oligonucleotide inhibits IGF2 expression and enhances survival in a model of hepatocellular carcinoma
 <303> Journal of Clinical Investigation
 <307> in press

 <400> 6

ggtcacgggtcaggcgtagatgg

<210> 7
<211> 21
<212> DNA
<213> Artificial sequence, c-myc

<220> Hairpin
<221> m5C
<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG
 dinucleotide sequence

<400> 7
tm5cgctaattctcm5cgcccacm5cgg

<210> 8
<211> 20
<212> DNA
<213> Artificial sequence, c-myc

<220> Hairpin
<221> m5C
<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG
 dinucleotide sequence

<400> 8
acm5cggccctttataatgm5cga

<210> 9
<211> 20
<212> DNA
<213> Artificial sequence, c-myc

<220> Hairpin
<221> m5C
<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG
 dinucleotide sequence

<400> 9
tcm5cgcccacm5cggccctttat

<210> 10
<211> 18
<212> DNA
<213> Artificial sequence, HIV

<220> Hairpin
<221> m5C
<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 10
cam5cgtagccm5cgagagm5ctg

<210> 11
<211> 18
<212> DNA
<213> Artificial sequence, HIV

<220> Hairpin
<221> m5C
<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 11
ccm5cgagagm5ctgcatcm5cgg

<210> 12
<211> 18
<212> DNA
<213> Artificial sequence, HIV

<220> Hairpin
<221> m5C
<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 12

gm5ctgcatataagm5cagm5ctg

<210> 13

<211> 18

<212> DNA

<213> Artificial sequence, UPAR

<220> Hairpin

<221> m5C

<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 13

aggm5cgcccam5cgcatm5ctgg

<210> 14

<211> 19

<212> DNA

<213> Artificial sequence, UPAR

<220> Hairpin

<221> m5C

<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 14

tm5cgctctttm5cgcaaaam5cgt

<210> 15

<211> 18

<212> DNA

<213> Artificial sequence, UPAR

<220> Hairpin

<221> m5C

<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 15

am5cgcatm5ctggggm5ctgact

<210> 16

<211> 18

<212> DNA

<213> Artificial sequence, VEGF

<220> Hairpin

<221> m5C

<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 16

gttataaatm5cgcccm5cgc

<210> 17

<211> 23

<212> DNA

<213> Artificial sequence, VEGFR

<220> Hairpin

<221> m5C

<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 17

gm5ctggggaaagggttataaatm5cgc

<210> 18

<211> 18

<212> DNA

<213> Artificial sequence, VEGFR

<220> Hairpin

<221> m5C

<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 18

accccttgam5cgtcacm5cag

<210> 19

<211> 18

<212> DNA

<213> Artificial sequence, VEGFR

<220> Hairpin

<221> m5C

<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 19

cttcatm5cgaggtcm5cgm5cgg

<210> 20

<211> 17

<212> DNA

<213> Artificial sequence, flk-1

<220> Hairpin

<221> m5C

<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 20

cm5ctgcam5ctgagtccm5cgg

<210> 21

<211> 21

<212> DNA

<213> Artificial sequence, VEGF

<220> Hairpin

<221> m5C

<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 21

am5cgggagagcccctcctcm5cgc

<210> 22

<211> 18

<212> DNA

<213> Artificial sequence, integrin belta3

<220> Hairpin

<221> m5C

<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 22

cactgtggggm5cgggm5cgga

<210> 23

<211> 18

<212> DNA

<213> Artificial sequence, integrin belta3

<220> Hairpin

<221> m5C

<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 23

tgmm5cgtcccacccacm5cgm5cg-

<210> 24

<211> 19

<212> DNA

<213> Artificial sequence, 12-lipoxygenase

<220> Hairpin

<221> m5C

<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 24

cm5cgcagacm5cggtcctttaa

<210> 25

<211> 18

<212> DNA

<213> Artificial sequence, 12-lipoxygenase

<220> Hairpin

<221> m5C

<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 25

cm5ctgggm5cgggtccm5cgggca

<210> 26

<211> 19

<212> DNA

<213> Artificial sequence, belt-amyloid protein precursor

<220> Hairpin

<221> m5C

<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 26

ctcm5cgtm5cagtttctm5cggc

<210> 27

<211> 18

<212> DNA

<213> Artificial sequence, 12-lipoxygenase

<220> Hairpin

<221> m5C

<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 27

atm5cagm5ctgactm5cgcm5ctgg

<210> 28

<211> 19

<212> DNA

<213> Artificial sequence, VEGF

<220> Hairpin

<221> m5C

<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 28

cagm5cggggaggatm5cgm5cgga

<210> 29

<211> 20

<212> DNA

<213> Artificial sequence, VEGF

<220> Hairpin

<221> m5C

<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 29

taaaagtm5cggm5ctggtagm5cgg

<210> 30

<211> 18

<212> DNA

<213> Artificial sequence, IGF1

<220> Hairpin

<221> m5C

<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 30

tm5ctgtgctctagttttaa

<210> 31

<211> 18

<212> DNA

<213> Artificial sequence, IGF1

<220> Hairpin

<221> m5C

<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 31

cm5cagm5ctgttttcm5ctgtct

<210> 32

<211> 20

<212> DNA

<213> Artificial sequence, HER2

<220> Hairpin

<221> m5C

<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 32

gm5ctgcttgaggaagtataag

<210> 33

<211> 20

<212> DNA

<213> Artificial sequence, HEr2

<220> Hairpin

<221> m5C

<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 33

agaatgaagttgtgaagm5ctg

<210> 34

<211> 18

<212> DNA

<213> Artificial sequence, TNF-alpha

<220> Hairpin

<221> m5C

<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 34

tgcm5cgttcctctataaag

<210> 35

<211> 18

<212> DNA

<213> Artificial sequence, TNF-alpha

<220> Hairpin

<221> m5C

<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 35

agggacm5ctgagm5cgtdcm5cgg

<210> 36

<211> 21

<212> DNA

<213> Artificial sequence, TNF-beta

<220> Hairpin

<221> m5C

<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 36

tm5cgcccm5cagggacatataaag

<210> 37
 <211> 18
 <212> DNA
 <213> Artificial sequence, TNF-beta

<220> Hairpin
 <221> m5C
 <223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 37
 catataaaggm5cagttggtt

<210> 38
 <211> 18
 <212> DNA
 <213> Artificial sequence, TNF-beta

<220> Hairpin
 <221> m5C
 <223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 38
 accm5cagccagm5cagam5cgct

<210> 39
 <211> 18
 <212> DNA
 <213> Artificial sequence, interleukin 4

<220> Hairpin
 <221> m5C
 <223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 39

tm5cggtttm5cagcaatttga

<210> 40

<211> 19

<212> DNA

<213> Artificial sequence, interleukin 4

<220> Hairpin

<221> m5C

<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 40

tagagatatctttgtm5cagc

<210> 41

<211> 19

<212> DNA

<213> Artificial sequence, GM-CSF

<220> Hairpin

<221> m5C

<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 41

ctm5ctgtgtattttaagagct

<210> 42

<211> 19

<212> DNA

<213> Artificial sequence, GM-CSF

<220> Hairpin

<221> m5C

<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 42

cm5cgccctccm5ctggcattttg

<210> 43
<211> 19
<212> DNA
<213> Artificial sequence, IL-2

<220> Hairpin
<221> m5C
<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 43
cm5cagagagaagagtataat

<210> 44
<211> 18
<212> DNA
<213> Artificial sequence, bcl-2

<220> Hairpin
<221> m5C
<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 44
atagm5ctggattataactc

<210> 45
<211> 18
<212> DNA
<213> Artificial sequence, bcl-2

<220> Hairpin
<221> m5C
<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 45
tm5cgtccaagaatgcaaag

<210> 46
<211> 18
<212> DNA
<213> Artificial sequence, HBV

<220> Hairpin
<221> m5C
<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 46
cagccatggaaam5cgatgt

<210> 47
<211> 19
<212> DNA
<213> Artificial sequence, HBV

<220> Hairpin
<221> m5C
<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 47
tgaagm5cgaagtgcacam5cgg

<210> 48
<211> 18
<212> DNA
<213> Artificial sequence, HBV

<220> Hairpin
<221> m5C
<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 48
agam5cggtgagacm5cgm5cgta

<210> 49
<211> 19
<212> DNA
<213> Artificial sequence, HBV

<220> Hairpin
<221> m5C
<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG
dinucleotide sequence

<400> 49
tgcattggtgctggtgm5cgca

<210> 50
<211> 20
<212> DNA
<213> Artificial sequence, CMV

<220> Hairpin
<221> m5C
<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG
dinucleotide sequence

<400> 50
tgggm5cggtaggm5cgtgtam5cgg

<210> 51
<211> 19
<212> DNA
<213> Artificial sequence, CMV

<220> Hairpin
<221> m5C
<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG
dinucleotide sequence

<400> 51
am5cggtaaattggccm5cgcm5ctg

<210> 52
<211> 18
<212> DNA
<213> Artificial sequence, CMV

<220> Hairpin
<221> m5C
<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 52
gm5cgtcaatggggm5cggagt

<210> 53
<211> 20
<212> DNA
<213> Artificial sequence, c-fos

<220> Hairpin
<221> m5C
<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

-----<400>_53 -----
am5cgcttggtataaaaagm5cagt

<210> 54
<211> 20
<212> DNA
<213> Artificial sequence, c-fos

<220> Hairpin
<221> m5C
<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 54

tm5cgtactccaacm5cgcatm5ctg

<210> 55

<211> 19

<212> DNA

<213> Artificial sequence, raf-1

<220> Hairpin

<221> m5C

<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 55

cm5cgagagtcttaatm5cgm5cgg

<210> 56

<211> 18

<212> DNA

<213> Artificial sequence, raf-1

<220> Hairpin

<221> m5C

<223> Phosphothioate oligonucleotide modified with 5-methylcytidine (m5C) at CpG dinucleotide sequence

<400> 56

tm5cgm5cgcagaatm5cggaggc